SUPPLEMENTARY DATA
Hastoy, X., Franc, C., Riquier, L., Ségur, M.-C., De Revel, G., & Fermaud, M. (2023). Fungitoxic role of endogenous eugenol in the hybrid grapevine cultivar Baco blanc resistant to *Botrytis cinerea*. *OENO One*, *57*(2). Retrieved from https://oeno-one.eu/article/view/7454

Supplementary data

SUPPLEMENTARY TABLE 1. Field measurements on both experimental plots.

Experiment plot	Treatment	NDVI	Compactness	Bunch number per vine	Bunch contact rate (%)
PREMS32	Leaf removal	$0.772^{b} \pm 0.031$	$2.3^{a} \pm 0.2$	$17.8^{a} \pm 2.7$	$84.3^{a} \pm 8.3$
	No leaf removal	$0.874^{a} \pm 0.008$	$2.4^{a} \pm 0.2$	$16.5^{a} \pm 3.1$	$77.3^{a} \pm 8.9$
CLONES40	E22	$0.763^{a} \pm 0.026$	$3.8^{a} \pm 0.3$	$6.4^{a} \pm 1.3$	$64.8^{a} \pm 6.6$
	E15	$0.781^{a} \pm 0.032$	$3.3^{b} \pm 0.3$	$6.1^{a} \pm 1.0$	$65.1^{a} \pm 8.3$
	c1086	$0.741^{a} \pm 0.041$	$3.6^{ab} \pm 0.4$	$6.4^{a} \pm 1.5$	$68.9^{a} \pm 6.4$
	E30	$0.752^{a} \pm 0.050$	$3.6^{ab} \pm 0.2$	$7.4^{a} \pm 1.9$	$70.4^{a} \pm 10.3$
	E12	$0.790^{a} \pm 0.034$	$3.5^{ab} \pm 0.2$	$6.5^{a} \pm 0.7$	$68.8^{a} \pm 7.2$
	E36	$0.756^{a} \pm 0.025$	$3.5^{ab} \pm 0.2$	$6.8^{a} \pm 1.3$	$58.7^{a} \pm 11.6$

Means with different letters were significantly different (ANOVA followed by SNK).